

10402/83

LATEST DESIGNS
BRASS & IRON
BEDSTEADS



IN
EARLY ENGLISH
SHERATON
& OTHER
FASHIONABLE
STYLES



GUARANTEED FIT
BEST QUALITY
ENAMEL
& LACQUER

S.B.W. & CO. LTD. B.

THE MANUFACTURERS

Wish to call the attention of Buyers to the following points in connection with the

BEDSTEADS, &c.,

Illustrated in this Book.

Fit.

All our Sides, Laths, Stretcher Bars, and loose parts are strictly "INTERCHANGEABLE" and will fit any of our Bedsteads of the same sizes, thus saving much trouble and risk of error in sorting and looking out bedsteads from stock. Notwithstanding this great advantage over many makes—no bedstead leaves our works until it has been fully set up, inspected, and gauged, to prove its absolute correctness of fit.

Material.

Only the very best materials procurable are used, all angles, tubes, laths, &c., are "British" Steel, and a superior and tough quality of iron is used for the castings (all of which are made in our foundry under our own personal supervision), thus ensuring great rigidity and strength. The lacquer and enamels used are the finest possible, and produce a smoothness and permanent brilliancy of finish unattainable with cheaper qualities.

Finish.

Great care is exercised as regards cleanliness of castings, tubes, &c.; uniform colour of lacquer of brass parts; brightness, smoothness and toughness of enamels and finish generally. All dimensions of pillars, rods, &c., and heights stated on pattern sheets are strictly adhered to in the goods.

Sides.

No light sides are used, all being strong Steel angles, thus ensuring strength where needed.

Packing.

The greatest care is used in packing to ensure delivery of goods without damage, and in every case of damage in transit the manufacturers are prepared to repair or replace the damaged part free of expense.

Prices.

The prices in this book are for the goods enamelled the colours shown. Those shown in Fig Green may be enamelled Pale Blue or *vice versa* without additional charge.

The following are the extras over Fig Green or Pale Blue, for other colours,


Pink or Pale Green, 3/9 extra.

Cream, Ivory, or White, 7/6 extra.

It is important to state on orders colour required.

The logo consists of a yellow rectangular background. Centered within this rectangle is a black oval border. Inside the oval, the words "The Winterthur Library" are written in a black serif font, arranged in three lines: "The" on the top line, "Winterthur" on the middle line, and "Library" on the bottom line.


The
Winterthur
Library



Digitized by the Internet Archive
in 2011 with funding from
LYRASIS Members and Sloan Foundation

PATENT "MAY-DAY" DROPSIDE COTS.

Both Side Rails are made so that they may be easily raised or lowered by the person in charge, but cannot be interfered with by the child occupying Cot.



Pillars, $\frac{3}{4}$ in.
Cast neck vases.
Dovetail joints.

No. 2203 DFG—Spring bottom, as shown.

4ft. \times 2ft.	4ft. 3 \times 2ft. 3	4ft. 6 \times 2ft. 6
35/9	37/3	38/9

No. 2203 DG—Lath bottom.

4ft. \times 2ft.	4ft. 3 \times 2ft. 3	4ft. 6 \times 2ft. 6
30/6	31/3	32/-

Either of these Cots if enamelled black, 5/- less.

Pillars, 1in.
Top rods, $\frac{1}{8}$ in.
Cast neck vases.
Dovetail joints.




No. 2206 DFG Spring bottom, as shown.

4ft. \times 2ft.	4ft. 3 \times 2ft. 3	4ft. 6 \times 2ft. 6
50/-	52/-	53/6

Either of these Cots if
enamelled black. 5/- less.

No. 2206 DG—Lath bottom.

4ft. \times 2ft.	4ft. 3 \times 2ft. 3	4ft. 6 \times 2ft. 6
44/9	46/-	46/9



3-Part Cliptex Spring Bedstead

No. H 1693 G

Bows, 1in.

Filling, $\frac{1}{2}$ in.

Head, 39in. high.

Foot, 36in. "

6ft. 6×3ft.	3ft. 6	4ft.
28/6	30/-	36/-

3-Part Cliptex Spring Bedstead.

No. H 1694 G

Pillars, 1in.

Top rods, $\frac{5}{8}$ in.

Filling, $\frac{1}{2}$ in.


Head, 49in. high.


Foot, 44in. "

6ft. 6×3ft.	3ft. 6	4ft.
31/6	33/9	41/3

If with $1\frac{1}{4}$ in. pillars,

6/- extra.





3-Part Cliptex Spring Bedstead.

Nos. H 637 G & H 638 G

Filling, $\frac{5}{8}$ in. Brass.

Head, 42in. high.

Foot, 31in. "

No. H 637 G—1in. Bows.

6ft.6×3ft. 3ft.6

36/- 39/9

No. H 638 G—1 $\frac{1}{4}$ in. Bows.

6ft.6×3ft. 3ft.6

40/- 43/9

3-Part Cliptex Spring Bedstead.

No. H 467 G

Bows, 1in.


Filling, $\frac{1}{2}$ in.


Head, 42in. high.

Foot, 31in. "

6ft.6×3ft.

26/3





3-Part Cliptex Spring Bedstead.

No. 4508 G

Pillars, $1\frac{1}{4}$ in.

Top rods, $\frac{3}{4}$ in.

Filling, $\frac{1}{2}$ in.

Head, 58 in. high.

Foot, 46 in. "

6 ft. 6 × 3 ft. 3 ft. 6

43/6 47/3

3-Part Cliptex Spring Bedstead.

No. 4509 G

Pillars, $1\frac{1}{4}$ in.

Top rods, $\frac{3}{4}$ in.


Filling, $\frac{1}{2}$ in.


Head, 58 in. high.

Foot, 46 in. "

6 ft. 6 × 3 ft. 3 ft. 6

49/3 53/-





3-Part Cliptex Spring Bedstead.

No. 4510 G

Pillars, $1\frac{1}{4}$ in.
 Top rods, $\frac{3}{4}$ in.
 Cross rods, $\frac{5}{8}$ in.
 9 $\frac{3}{8}$ in. uprights in 3 ft. size.
 Head, 57 in. high.
 Foot, 46 in. "

6 ft. 6 × 3 ft. 3 ft. 6

52/6 56/3

3-Part Cliptex Spring Bedstead.


No. 4511 G

Pillars, $1\frac{1}{4}$ in.
 Top rods, $\frac{3}{4}$ in.
 Cross rods, $\frac{3}{4}$ in.
 Uprights, $\frac{1}{2}$ in.
 Head, 56 in. high.
 Foot, 45 in. "

6 ft. 6 × 3 ft. 3 ft. 6

60/- 65/-





**All Brass 3-Part Cliptex
Spring Bedstead.**

No. 5125

Pillars, 1in.

Top rods, $\frac{3}{4}$ in.

Filling, $\frac{5}{8}$ in.

Head, 43in. high.

Foot, 28in. "

6ft.6 × 2ft.6 3ft. 3ft.6

61/6 63/- 68/9

If $1\frac{1}{4}$ in. pillars, No. 5126,

10/- extra.

**All Brass 3-Part Cliptex
Spring Bedstead.**

No. 5001

Bows, 1in.


Filling, $\frac{5}{8}$ in.


Head, 37in. high.

Foot, 28in. "

6ft.6 × 2ft.6 3ft. 3ft.6

61/6 63/- 68/9





**All Brass 3-Part Cliptex
Spring Bedstead.**

No. 5128

Pillars, $1\frac{1}{4}$ in.

Top rods, $\frac{3}{4}$ in.

Bottom rods, $\frac{3}{4}$ in.

Uprights, $\frac{5}{8}$ in.

Head, 51 in. high.

Foot, 40 in. "

6ft.6×2ft.6	3ft.	3ft.6
94/6	96/-	101/9

**All Brass 3-Part Cliptex
Spring Bedstead.**

No. 5129

Bows, 1 in.


Filling, $\frac{5}{8}$ in.


Head, 44 in. high.

Foot, 37 in. "

6ft.6×2ft.6	3ft.	3ft.6
86/-	87/6	93/6

If $1\frac{1}{4}$ in. bows, No. 5130,
12/- extra.





**Patent Elevated Clipoid
Spring Bedstead.**

No. 480 C

Pillars, $1\frac{1}{4}$ in.

Top rods, $\frac{3}{4}$ in.

Filling, $\frac{5}{8}$ in.

Head, 58 in. high.

Foot, 46 in. "

6 ft. 6 in. x

3 ft.	3 ft. 6 in.	4 ft.	4 ft. 6 in.
-------	-------------	-------	-------------

54/-	57/-	62/-	63/6
------	------	------	------

If enamelled Fig Green or
Pale Blue, 10/6 extra.

**Patent Elevated Clipoid
Spring Bedstead.**

No. 3030 C

Pillars, $1\frac{1}{4}$ in. square.

Top rods, $1\frac{1}{4}$ in. moulded
brass.

Bottom rods, $\frac{3}{4}$ in. square.

Filling, $\frac{5}{8}$ in. and $\frac{1}{2}$ in. square
and $\frac{3}{8}$ in. round.

Brass rod in centre of head
and foot-end, $\frac{1}{2}$ in. round.


Head, 51 in. high.


Foot, 40 in. "

6 ft. 6 in. x

3 ft.	3 ft. 6 in.	4 ft.	4 ft. 6 in.
-------	-------------	-------	-------------

163/6	166/6	171/6	173/-
-------	-------	-------	-------





**Patent Elevated Clipoid
Spring Bedstead.**

Nos. 2117 C, 2118 C,
and 2119 C

Pillars, $1\frac{1}{4}$ in., $1\frac{1}{2}$ in., or 2 in.

Top rods, $\frac{3}{4}$ in.

Filling, $\frac{5}{8}$ in.

Head, 62 in. high.

Foot, 50 in. "

No. 2117 C— $1\frac{1}{4}$ in. Pillars.
6 ft. 6 × 4 ft. 6

74/-

No. 2118 C— $1\frac{1}{2}$ in. Pillars.
6 ft. 6 × 4 ft. 6

83/9

No. 2119 C—2 in. Pillars.
6 ft. 6 × 4 ft. 6

95/-

If enamelled Fig Green or
Pale Blue, 10/6 extra.

**Patent Elevated Clipoid
Spring Bedstead.**

Nos. 2014 C, 2018 C,
and 2022 C

Pillars, $1\frac{1}{4}$ in., $1\frac{1}{2}$ in., or 2 in.

Top rods, $\frac{3}{4}$ in.

Filling, $\frac{5}{8}$ in.

Head, 62 in. high.

Foot, 50 in. "

No. 2014 C— $1\frac{1}{4}$ in. Pillars.
6 ft. 6 × 4 ft. 6

89/6


No. 2018 C— $1\frac{1}{2}$ in. Pillars.
6 ft. 6 × 4 ft. 6


95/9

No. 2022 C—2 in. Pillars.
6 ft. 6 × 4 ft. 6

108/6

If enamelled Fig Green or
Pale Blue, 10/6 extra.





**Patent Elevated Clipoid
Spring Bedstead.**

No. 2109 C

Pillars, 2in.
Top rods, $\frac{3}{4}$ in.
Filling, $\frac{5}{8}$ in.
Head, 64in. high.
Foot, 52in. "

6ft.6 \times 4ft.6

131/-

If enamelled Fig Green or
Pale Blue, 10/6 extra.

**Patent Elevated Clipoid
Spring Bedstead.**

No. 5068 C

Pillars, $1\frac{1}{4}$ in.
Top rods, $\frac{3}{4}$ in.
Bottom rods, $\frac{5}{8}$ in.
Filling, $\frac{1}{2}$ in.
Head, 49in. high.
Foot, 41in. "

6ft.6 \times

3ft. 3ft.6 4ft. 4ft.6 5ft.

171/9 176/3 182/9 185/9 198/3


No. 5117 C


Pillars, $1\frac{1}{2}$ in.
Top rods, $\frac{3}{4}$ in.
Bottom rods, $\frac{3}{4}$ in.
Filling, $\frac{5}{8}$ in.
Head, 49in. high.
Foot, 41in. "

6ft.6 \times

3ft. 3ft.6 4ft. 4ft.6 5ft.

189/9 194/3 200/9 203/9 216/3





Lath Bottom Bedstead.

Nos. 1695 G & 1698 G

Pillars, $1\frac{1}{4}$ in. or $1\frac{1}{2}$ in.

Top rods, $\frac{3}{4}$ in.

Head, 58 in. high.

Foot, 46 in. high.

No. 1695 G— $1\frac{1}{4}$ in. pillars,
 $\frac{1}{2}$ in. filling.

6ft.6×				
3ft.	3ft.6	4ft.	4ft.6	
38/3	39/-	35/9	40/6	

No. 1698 G— $1\frac{1}{2}$ in. pillars,
 $\frac{5}{8}$ in. filling.

6ft.6×4ft.6

50/-

Lath Bottom Bedstead.

Nos. 1696 G & 1697 G

Pillars, $1\frac{1}{4}$ in. or $1\frac{1}{2}$ in.

Top rods, $\frac{3}{4}$ in.

Head, 58 in. high.

Foot, 46 in. "


No. 1696 G— $1\frac{1}{4}$ in. pillars,
 $\frac{1}{2}$ in. filling.


6ft.6×				
3ft.	3ft.6	4ft.	4ft.6	
44/-	44/9	45/6	46/3	

No. 1697 G— $1\frac{1}{2}$ in. pillars,
 $\frac{5}{8}$ in. filling.

6ft.6×4ft.6

55/9



**Lath Bottom Bedstead.****No. 3205 MG**Pillars, $1\frac{1}{4}$ in.Top rods, $\frac{3}{4}$ in.Cross rods, $\frac{5}{8}$ in.15 $\frac{3}{8}$ in. uprights in 4ft. 6 size.

Head, 57 in. high.

Foot, 46 in. "

6ft. 6 \times 3ft. 4ft. 6

50/3 52/6

Lath Bottom Bedstead.**No. 3200 G**Pillars, $1\frac{1}{4}$ in.Top rods, $\frac{3}{4}$ in.Cross rods, $\frac{3}{4}$ in.Uprights, $\frac{1}{2}$ in.

Head, 56 in. high.

Foot, 45 in. "

6ft. 6 \times

3ft. 3ft. 6 4ft. 4ft. 6

56/3 57/- 57/9 58/6


If with $1\frac{1}{2}$ in. pillars, 12/9 extra.**No. 3201 G**


Same design, but with

Pillars, $1\frac{1}{4}$ in. square.Top rods, $\frac{3}{4}$ in. square.Cross rods, $\frac{5}{8}$ in. square.Filling, $\frac{1}{2}$ in. square.6ft. 6 \times

3ft. 3ft. 6 4ft. 4ft. 6

63/- 63/9 64/6 65/3





Lath Bottom Bedstead.

No. 3202 G

Pillars, $1\frac{1}{4}$ in.

Top rods, $\frac{3}{4}$ in.

Cross rods, $\frac{5}{8}$ in.

15 $\frac{1}{2}$ in. uprights in 4ft. 6 size.

Head, 56 in. high.

Foot, 45 in. "

6ft. 6 ×

3ft.	3ft. 6	4ft.	4ft. 6
------	--------	------	--------

63/-	63/9	64/6	65/3
------	------	------	------

If with $1\frac{1}{2}$ in. pillars,

12/9 extra.

Lath Bottom Bedstead.

No. 3034 MG

Pillars, $1\frac{1}{4}$ in.

Top rods, $\frac{3}{4}$ in.

Cross rods, $\frac{3}{4}$ in.

Uprights, $\frac{1}{2}$ in.

Brass panel in foot end, $\frac{5}{8}$ in.

and $\frac{3}{8}$ in. brass.

Head, 57 in. high.

Foot, 46 in. "


6ft. 6 ×


3ft.	3ft. 6	4ft.	4ft. 6
------	--------	------	--------

78/-	78/9	79/6	80/3
------	------	------	------

If with $\frac{1}{2}$ in. pillars,

12/9 extra.





Lath Bottom Bedstead.

No. 3032 G

Pillars, $1\frac{1}{4}$ in. square.

Filling, $\frac{5}{8}$ in. square.

Handsome moulded brass
top rods.

Head, 54 in. high.

Foot, 42 in. "

6 ft. 6 in. ×

3 ft.	3 ft. 6 in.	4 ft.	4 ft. 6 in.
95/3	96/-	96/9	97/6

Lath Bottom Bedstead.

No. 5092

Pillars, $1\frac{1}{2}$ in.

Top and bottom rods, $\frac{3}{4}$ in.


Filling, $\frac{5}{8}$ in. and $\frac{1}{2}$ in.


Head, 57 in. high.

Foot, 43 in. "

6 ft. 6 in. ×

3 ft.	3 ft. 6 in.	4 ft.	4 ft. 6 in.
138/6	140/9	143/-	145/3



**Lath Bottom Bedstead.**

No. 2401 G

Pillars, $1\frac{1}{4}$ in.Top rods, $\frac{3}{4}$ in.Filling, $\frac{5}{8}$ in.

Head, 61 in. high.

Foot, 47 in. "

6 ft. 6 \times 4 ft. 6

52/3

Lath Bottom Bedstead.

No. 5089

Pillars, $1\frac{1}{2}$ in.Top and bottom rods, $\frac{3}{4}$ in.Cross rods, $\frac{5}{8}$ in.15 $\frac{3}{8}$ in. uprights in 4 ft. 6 size.


Head, 57 in. high.


Foot, 43 in. "

6 ft. 6 \times

3 ft. 3 ft. 6 4 ft. 4 ft. 6

149/3 151/6 153/9 156/-





Lath Bottom Bedstead.

No. 2402 G

Pillars, $1\frac{1}{4}$ in.

Filling, $\frac{5}{8}$ in. and $\frac{1}{2}$ in.

Top rods, $\frac{3}{4}$ in.

Head, 59 in. high.

Foot, 47 in. " "

6 ft. 6 in. \times 4 ft. 6 in.

57/-

Lath Bottom Bedstead.

No. 2400 G

Pillars, $1\frac{1}{2}$ in. seamless steel tube.

Filling, $\frac{5}{8}$ in.


Top rods, $\frac{7}{8}$ in.


Head, 61 in. high.

Foot, 49 in. " "

6 ft. 6 in. \times 4 ft. 6 in.

68/9



**Lath Bottom Bedstead.**Top and bottom rods, $\frac{3}{4}$ in.Filling, $\frac{5}{8}$ in.

Head, 59in. high.

Foot, 47in. "

No. 5113— $1\frac{1}{4}$ in. pillars.
6ft. 6x

3ft. 3ft.6 4ft. 4ft.6 5ft.

90/9 93/- 95/3 97/6 102/6

No. 5071— $1\frac{1}{2}$ in. pillars.
6ft. 6x

3ft. 3ft.6 4ft. 4ft.6 5ft.

98/3 100/6 102/9 105/- 110/-

No. 5074—2in. pillars,
 $\frac{7}{8}$ in. top rods.

6ft. 6x

3ft. 3ft.6 4ft. 4ft.6 5ft.

119/3 121/6 123/9 126/- 131/-

Lath Bottom Bedstead.Top and bottom rods, $\frac{3}{4}$ inFilling, $\frac{5}{8}$ in.

Head, 62in. high.

Foot, 50in. "

No. 5095— $1\frac{1}{2}$ in. pillars.

6ft. 6x

3ft. 3ft.6 4ft. 4ft.6 5ft.

108/9 111/- 113/3 115/6 120/6


No. 5098—2in. pillars,


 $\frac{7}{8}$ in. top rods.

6ft. 6x

3ft. 3ft.6 4ft. 4ft.6 5ft.

131/3 133/6 135/9 138/- 143/-



**Lath Bottom Bedstead.**Top and bottom rods, $\frac{3}{4}$ in.Filling, $\frac{5}{8}$ in.

Head, 62in. high.

Foot, 50in. "

No. 5119— $1\frac{1}{2}$ in. pillars.6ft.6 \times 4ft.6 5ft.

142/6 147/6

No. 5122—2in. pillars,

 $\frac{7}{8}$ in top rods.6ft.6 \times 4ft.6 5ft.

164/3 169/3

Lath Bottom Bedstead.

No. 5053

Pillars, $1\frac{1}{4}$ in. square.Top rods, $\frac{3}{4}$ in. square.Bottom rods, $\frac{5}{8}$ in. square.Filling, $\frac{3}{8}$ in. round.

Head, 57in. high.

Foot, 43in. "

No. 5053

6ft.6 \times

3ft. 3ft.6 4ft. 4ft.6 5ft.

7/9/3 7/12/3 7/15/3 7/18/3 8/2/9

No. 5056

Pillars, $1\frac{1}{2}$ in. square.Top rods, $\frac{3}{4}$ in. square.Bottom rods, $\frac{3}{4}$ in. square.Filling, $\frac{3}{8}$ in. round.

Head, 57in. high.


Foot, 43in. "

No. 5056

6ft.6 \times

3ft. 3ft.6 4ft. 4ft.6 5ft.

7/16/- 7/19/- 8/2/- 8/5/- 8/9/6



Lath Bottom Bedstead.

No. 5059

Pillars, $1\frac{1}{2}$ in. square.
 Top rods, $\frac{3}{4}$ in. square.
 Bottom rods, $\frac{5}{8}$ in. square.
 Filling, $\frac{5}{8}$ in. and $\frac{1}{2}$ in. square.
 Head, 57in. high.
 Foot, 43in. "

No. 5059

6ft.6x
 3ft. 3ft.6 4ft. 4ft.6 5ft.

10/19/9 11/2/9 11/5/9 11/8/9 11/13/3

No. 5062

Pillars, $1\frac{1}{2}$ in. square.
 Top rods, $\frac{3}{4}$ in. square.
 Bottom rods, $\frac{3}{4}$ in. square.
 Filling, $\frac{5}{8}$ in and $\frac{9}{16}$ in.
 square.
 Head, 57in. high.
 Foot, 43in. "

No. 5062

6ft.6x
 3ft. 3ft.6 4ft. 4ft.6 5ft.

11/11/- 11/14/- 11/17/- 12/-/- 12/4/6


Lath Bottom Bedstead.

No. 863

Pillars, $1\frac{1}{2}$ in. square.
 Top and bottom rods, $\frac{3}{4}$ in.
 square.
 Filling, $\frac{5}{8}$ in. square.
 Head, 59in. high.
 Foot, 45in. "


6ft.6x
 3ft. 3ft.6 4ft. 4ft.6 5ft.

14/3/6 14/6/6 14/9/6 14/12/6 14/17/6



Lath Bottom Bedstead.

Heights,
Head, 7ft.9 Foot, 4ft.1



1½in. pillars, ¾in. top and bottom rods.


⅝in. filling.

	6ft.6×3ft.	3ft.6	4ft.	4ft.6	5ft.
No. 733—French ..	7/10/-	7/13/0	7/16/0	7/19/-	8/3/6
If 2in. foot pillars, 17/3 extra. If 2in. head and foot pillars, 30/6 extra.*					
	6ft.6×3ft.	3ft.6	4ft.	4ft.6	5ft.
No. 734—Parisian ..	9/2/3	9/5/3	9/8/3	9/11/3	9/15/9
(as illustrated)					
If 2in. foot pillars, 17/3 extra. If 2in. head and foot pillars, 38/- extra.					

Lath Bottom Bedstead.

Heights,

Head, 7ft. 7in. Foot, 3ft. 10in.



Handsome cast brass ornaments.

Foot pillars, 1½ in. square, head pillars, 1½ in. round.

Top rods, ¾ in., bottom rods, ¾ in. Filling, ⅝ in. and 9/16 in. square.

6ft. 6 × 4ft. 6 5ft.


No. 5106—Italian (*as drawn*) 22/2/6 22/10/-

" 5104—French 18/15/- 19/2/6

Lath Bottom Bedstead.

Heights,

Head, 7ft.7in. Foot, 3ft.10in.



Handsome cast brass ornaments.


Foot pillars, 1½in. square, head pillars, 1½in. round.

		6ft.6×4ft.6	5ft.
No. 5112—Italian (<i>as d'aron</i>) ..		19/2/6	19/10/-
" 5110—French, 1½in. square head pillars and ¾in. square top rods at head ..		17/12/6	18/-/-

Lath Bottom Bedstead.

Heights,

Head, 7ft. 7in. Foot, 4ft.



Handsome cast brass ornaments.

Head and foot pillars, 1½ in. round.

Top rod of foot end, ¾ in. square. Filling, 5/8 in. and ½ in. round.

6ft. 6 × 4ft. 6 5ft.

No. 5109—Italian (*as drawn*) 12/15/- 13/-/-

" 5107—French 10/17/6 11/2/6


REGISTERED
NAME.

"THE DOMEX."

PATENTED.

No. 997 R

Most
Comfortable
and
Noiseless.



Cheap
Line.
Good
Value.


GUARANTEED FOR 14 YEARS. WARRANTED NOT TO SAG.

6ft. 3 × 2ft. 6	3ft.	3ft. 6	4ft.	4ft. 6	5ft.
No. 997 R—19/6	20/3	21/-	21/9	22/6	25/6

Coppered or Galvanized Meshes same price; coppered sent if not otherwise ordered.

The Patent "DOMIGA" Mattress.

No. 998 R.




GUARANTEED FOR 14 YEARS. HIGHLY RECOMMENDED.

6ft. 3 × 2ft. 6	3ft.	3ft. 6	4ft.	4ft. 6	5ft.
No. 998 R—25/6	26/3	27/-	27/9	28/6	31/6

The above Mattress is far more durable than Woven Wire.

The New "DOMINION" Spring Mattress.

No. 999 R.



THE "GALEX" (PATENTED). REGISTERED NAME.

GUARANTEED FOR 14 YEARS. WARRANTED NOT TO SAG.

6ft. 3 × 2ft. 6	3ft.	3ft. 6	4ft.	4ft. 6	5ft.
No. 999 R—29/3	30/-	30/9	31/6	32/3	35/3

The manufacturers guarantee to replace, Free of Charge, any part of the above Mattresses giving way in use during 14 years.

PRICE LIST OF BEDDING

WOOL, FLOCK, & HAIR MATTRESSES (Bordered).

No.		3ft.	4ft.6in	Description of Quality.
210R	Wool Mattress ..	14/10	18/-	Fancy Belgian ticks
211R	" ..	18/-	22/9	Good " "
212R	Colored Wool Mattress ..	23/5	30/3	Good soft washed wool, in sateen Belg'n tick
217R	Flock Mattress ..	19/5	25/8	White flock, in Belgian tick
222R	Hair and Fibre Mattress ..	30/4	45/-	Mixed hair and fibre, in fancy Belgian tick
223R	Hair Mattress ..	43/3	64/10	Good hair, in fancy Belgian or union tick
224R	Hair, Second, Mattress ..	56/3	81/-	Medium hair, in fancy Belgian or union tick

WOOL BEDS, BOLSTERS & PILLOWS.

No.		3ft.	3ft.6in	4ft.	4ft.6in	5ft.	Pillows	Description of Quality.
236R	Wool Bed and Bolster ..	10/4	11/9	12/8	14/-	15/4	1/5 ea.	In cotton tick
237R	Wool Bed and Bolster ..	13/-	14/5	16/8	18/-	19/10	1/10 "	In super cotton tick
238R	Colored Wool Bed & Bolster ..	20/9	23/5	26/-	29/3	31/1	2/9 "	In union tick, well filled
239R	Second White Wool ..	29/10	32/5	37/10	40/6	44/2	4/1 "	with good wool In good " " white wool

FEATHER BOLSTERS & PILLOWS.

All Feathers Purified by Chemical Process, and warranted free from Dust or Smell.

240 R Poultry Feathers in Union Ticks.

	Bolster.	Pillows.
3ft. ..	4/6 ..	1 Pillow .. 3/8
3ft. 6in. ..	5/11 ..	" .. 3/8
4ft. ..	6/9 ..	2 Pillows .. 6/4
4ft. 6in. ..	7/3 ..	" .. 7/8
5ft. ..	7/5 ..	" .. 8/4

241 R Best Poultry Feathers in Union Ticks.

3ft. ..	5/5 ..	1 Pillow .. 4/6
3ft. 6in. ..	6/9 ..	" .. 4/6
4ft. ..	8/2 ..	2 Pillows .. 8/2
4ft. 6in. ..	8/7 ..	" .. 9/-
5ft. ..	9/11 ..	" .. 9/11

242 R Mixed Grey Feathers in Union Ticks.

3ft. ..	8/2 ..	1 Pillow .. 5/5
3ft. 6in. ..	9/11 ..	" .. 5/5
4ft. ..	12/2 ..	2 Pillows .. 10/10
4ft. 6in. ..	12/8 ..	" .. 10/10
5ft. ..	13/6 ..	" .. 12/8

244 R Mixed Grey Goose Feathers in Union Ticks.

3ft. ..	11/3 ..	1 Pillow .. 6/9
3ft. 6in. ..	12/8 ..	" .. 6/9
4ft. ..	15/4 ..	2 Pillows .. 13/6
4ft. 6in. ..	17/2 ..	" .. 13/6
5ft. ..	18/11 ..	" .. 13/6
5ft. 6in. ..	19/10 ..	" .. 13/6

245 R Grey Goose Feathers in Linen Ticks.

3ft. ..	12/8 ..	1 Pillow .. 9/-
3ft. 6in. ..	14/5 ..	" .. 9/-
4ft. ..	17/8 ..	2 Pillows .. 14/11
4ft. 6in. ..	19/11 ..	" .. 16/3
5ft. ..	18/10 ..	" .. 19/10
5ft. 6in. ..	21/8 ..	" .. 19/10

246 R Best Grey Goose Feathers in Linen Ticks.

3ft. ..	14/11 ..	1 Pillow .. 9/11
3ft. 6in. ..	17/8 ..	" .. 9/11
4ft. ..	21/2 ..	2 Pillows .. 18/-
4ft. 6in. ..	23/- ..	" .. 19/10
5ft. ..	24/4 ..	" .. 22/6
5ft. 6in. ..	27/- ..	" .. 22/6

GUARANTEED TO BE ABSOLUTELY PURE AND WHOLESOME, AND MANUFACTURED IN CLEAN AND WELL VENTILATED WORKROOMS.